

<p align="center">2009 - APHA Philadelphia, PA</p> <p align="center">Hotel Accessibility Review</p> <p align="center">As of: 4/27/2009</p>	<p align="center">Loews Philadelphia</p> <p align="center">1200 Market Street (215) 627-1200</p>	<p align="center">Philadelphia Marriott</p> <p align="center">1201 Market Street (215) 625-2900</p>
Parking/Hotel Entrance		
Accessible overnight parking in garage or adjacent to hotel:	Yes	Yes
If valet parking is available, daily rate? If self parking, daily rate?	Valet - \$38	Valet - \$43.20 Garage across street \$31
Hotel garage accommodates raised roof accessible vans:	No	Yes
Curb cuts leading from valet parking area to main entrance:	Yes	Yes
Curb cuts at passenger drop off area:	Yes	Yes
Accessible on street parking in front of hotel:	No	Filbert, 12th Street, 13th Street, & Market
Total main entrances to the hotel:	2	2
Is the main entrance fully accessible (i.e., No stairs or barriers)?	Yes	Yes
Doors at main entrance open without too much force:	Yes	Yes
Main entrance equipped with power doors:	Yes	Yes
If there is a vestibule, there's adequate space for wheelchair:	Yes	Yes
Public Areas		
Accessible entrance provides direct access to main lobby & elevators:	Yes	Yes
Registration desk accessible to wheelchair user:	Yes	Yes
Wheelchair accessible pay/public phones in the lobby:	Yes	Yes
Phones equipped with text telephone TT or TDD:	Yes	Yes
Accessible drinking fountain for wheelchair user:	Yes	Yes
If raised or sunken public areas, same services on accessible levels:	Yes	Yes
Number of accessible public restrooms:	Men/5 Women/5 Floors 1, 2, 3, 4, 33	Men/7 Women/7 Lobby and Floors 3, 4, 5
Audible and visual fire and emergency alarms:	Yes	Yes
Meeting Rooms		
Doors have at least 32" clear opening:	Yes	Yes
At least 18" clear wall space on pull side of the door, near handle:	Yes	Yes
Door handles 48" high or less and operable with a closed fist:	Yes	Yes
Is portable assistive listening system available, cost for usage?	Yes/No Cost	Yes/No Cost
Total floors with meeting rooms:	5	3
Meeting rooms or Public Areas that are Not accessible:	None	None
Restaurants		
Number of food outlets/restaurants are on property:	1	2
Food outlets/restaurants accessible to people in wheelchairs:	Yes	Yes
Hotel Amenities		
Recreation areas/exercise facilities on accessible route of travel:	Yes	Yes
Accessible hotel business center:	Yes	Yes
Accessible pool area:	Yes	Yes
Pool equipped with a lift:	No	No
Changing rooms on accessible route of travel:	Yes	Yes
Accessible lockers in both men's and women's changing rooms:	Yes	Yes
Changing rooms have accessible roll-in shower with hand held shower:	Yes	Yes
There is a folding seat for the roll in showers:	Yes	Yes
Elevators		
Visible and audible door opening/closing and floor indicators:	Yes	Yes
Accessible controls with raised or Braille lettering; at or below 48":	Yes	Yes

2009 - APHA Philadelphia, PA Hotel Accessibility Review As of: 4/27/2009	Loews Philadelphia	Philadelphia Marriott
	1200 Market Street (215) 627-1200	1201 Market Street (215) 625-2900
	Accessible Guest Rooms	
Total guest rooms on property:	581	1408
Total wheelchair accessible rooms:	17	67
Accessible rooms with roll in showers:	5	36
Adequate space for roll-away beds:	King Rooms Only	King Rooms Only
Bed options for accessible rooms:	King and Double	King, Queen, and Double
Doors have "Lever" hardware:	Yes	Yes
Accessible rooms have at least 32" clear opening:	Yes	Yes
Door locks & key are easily operable by one hand:	Yes	Yes
Security lock is easily operable and located within 48" of floor:	Yes	Yes
Accessible light and temperature controls:		Yes
Closet rods are within range of reach:	Yes	Yes
Drapery controls easily operable:	Yes	Yes
Bathrooms in Wheelchair Accessible Guest Rooms		
Doors at least 32" wide with at least 18" clearance on the pull side:	Yes	Yes
Doors have "Lever" hardware:	Yes	Yes
Threshold of the door is less than 1/2" high:	Yes	Yes
Grab bars behind and on side wall near the toilet:	Yes	Yes
Toilet seat is 17" - 19" high:	Yes	Yes
Built in transfer seat provided at the tub:	No	No
Portable tub seat available:	Yes	Yes
Grab bars provided on sidewall of the tub:	Yes	Yes
Sink has 29" clearance below front apron; sink rim No higher than 34":	Yes	Yes
Sink & shower faucets operable with a closed fist:	Yes	Yes
Soap and other dispensers are accessible and usable with one closed fist:	N/A	N/A
Roll in shower with a folding seat:	Yes	Yes
Hand held shower with adjustable height bar:	Yes	Yes
Are shower controls operable with a closed fist?	Yes	Yes
Towels and other amenities are within the accessible range of reach:	Yes	Yes
Guest Rooms For Hearing Impaired		
Number of in-house kits to be installed in guestrooms; cost?:	5/No Cost	13/No Cost
Kits include Notification devices for: door kNocking,	Yes	Yes
Kits include Notification devices for telephone ringing?	Yes	Yes
Kits include Notification devices for alarm clock?	Yes	Yes
Text telephones TT or TDD:	Yes	Yes
TVs have closed captioning:	Yes	Yes
Visual emergency warning devices in all accessible rooms:	Yes	Yes
Usability of Standard Guest Rooms		
Standard rooms have a minimum 28" clear opening width:	Yes	Yes
What is clear opening width of the bathroom door?	36"	37"
Is the threshold of the doors less than 1/2" high?	Yes	Yes
Rooms have grab bars on sidewall near toilet and on tub walls:	Yes	No
Adequate space between beds/furniture for wheelchair or scooter:	Yes	Yes
Accessible light and temperature controls:	Yes	No

2009 - APHA Philadelphia, PA Hotel Accessibility Review As of: 4/27/2009	Crowne Plaza Philadelphia	Doubletree Philadelphia
	1800 Market Street (215) 561-7500	237 South Broad Street (215) 893-1600
	Parking/Hotel Entrance	
Accessible overnight parking in garage or adjacent to hotel:	Yes	Yes
If valet parking is available, daily rate? If self parking, daily rate?	No	Valet - \$26 Self - \$24
Hotel garage accommodates raised roof accessible vans:	Yes	No
Curb cuts leading from valet parking area to main entrance:	No	Yes
Curb cuts at passenger drop off area:	No	Yes
Accessible on street parking in front of hotel:	No	No
Total main entrances to the hotel:	3	2
Is the main entrance fully accessible (i.e., No stairs or barriers)?	Yes	Yes
Doors at main entrance open without too much force:	Yes	Yes
Main entrance equipped with power doors:	No	Yes
If there is a vestibule, there's adequate space for wheelchair:	Yes	Yes
Public Areas		
Accessible entrance provides direct access to main lobby & elevators:	Yes	Yes
Registration desk accessible to wheelchair user:	Yes	No
Wheelchair accessible pay/public phones in the lobby:	No	3rd Floor
Phones equipped with text telephone TT or TDD:	No	Yes on Request
Accessible drinking fountain for wheelchair user:	No	No
If raised or sunken public areas, same services on accessible levels:	Yes	Yes
Number of accessible public restrooms:	Men/2 Women/2 Floors 1 and 2	Men/5 Women/5 Floors 2, 3, 4
Audible and visual fire and emergency alarms:	Yes	Yes
Meeting Rooms		
Doors have at least 32" clear opening:	Yes	Yes
At least 18" clear wall space on pull side of the door, near handle:	Yes	Yes
Door handles 48" high or less and operable with a closed fist:	Yes	Yes
Is portable assistive listening system available, cost for usage?	No	No
Total floors with meeting rooms:	2	5
Meeting rooms or Public Areas that are Not accessible:	None	None
Restaurants		
Number of food outlets/restaurants are on property:	3	2
Food outlets/restaurants accessible to people in wheelchairs:	Yes	Yes
Hotel Amenities		
Recreation areas/exercise facilities on accessible route of travel:	Yes	Yes
Accessible hotel business center:	Yes	Yes
Accessible pool area:	Yes	Yes
Pool equipped with a lift:	No	No
Changing rooms on accessible route of travel:	N/A	Yes
Accessible lockers in both men's and women's changing rooms:	N/A	Yes
Changing rooms have accessible roll-in shower with hand held shower:	N/A	Yes
There is a folding seat for the roll in showers:	N/A	Yes
Elevators		
Visible and audible door opening/closing and floor indicators:	Yes	Yes
Accessible controls with raised or Braille lettering; at or below 48":	Yes	Braille Lettering Not at or below 48"

<p align="center">2009 - APHA Philadelphia, PA</p> <p align="center">Hotel Accessibility Review</p> <p align="center">As of: 4/27/2009</p>	Crowne Plaza Philadelphia	Doubletree Philadelphia
	1800 Market Street	237 South Broad Street
	(215) 561-7500	(215) 893-1600
Accessible Guest Rooms		
Total guest rooms on property:	445	432
Total wheelchair accessible rooms:	17	16
Accessible rooms with roll in showers:	4	5
Adequate space for roll-away beds:	No	Certain Rooms
Bed options for accessible rooms:	King Only	King/Queen/Double
Doors have "Lever" hardware:	Yes	Yes
Accessible rooms have at least 32" clear opening:	Yes	Yes
Door locks & key are easily operable by one hand:	Yes	Yes
Security lock is easily operable and located within 48" of floor:	Yes	Yes
Accessible light and temperature controls:	Yes	Yes
Closet rods are within range of reach:	Yes	Yes
Drapery controls easily operable:	Yes	Yes
Bathrooms in Wheelchair Accessible Guest Rooms		
Doors at least 32" wide with at least 18" clearance on the pull side:	Yes	Yes
Doors have "Lever" hardware:	Yes	Yes
Threshold of the door is less than 1/2" high:	Yes	Yes
Grab bars behind and on side wall near the toilet:	Yes	Yes
Toilet seat is 17" - 19" high:	Yes	Yes
Built in transfer seat provided at the tub:	No	Certain Rooms
Portable tub seat available:	Yes	Yes
Grab bars provided on sidewall of the tub:	Yes	Yes
Sink has 29" clearance below front apron; sink rim No higher than 34":	Yes	Yes
Sink & shower faucets operable with a closed fist:	Only on Floor 12 and Below	Yes
Soap and other dispensers are accessible and usable with one closed fist:	N/A	Yes
Roll in shower with a folding seat:	Only on Floor 12 and Below	Yes
Hand held shower with adjustable height bar:	Yes	Yes
Are shower controls operable with a closed fist?	Yes	Yes
Towels and other amenities are within the accessible range of reach:	Yes	Yes
Guest Rooms For Hearing Impaired		
Number of in-house kits to be installed in guestrooms; cost?:	8/No Cost	5/No Cost
Kits include Notification devices for: door kNocking,	Yes	Yes
Kits include Notification devices for telephone ringing?	Yes	Yes
Kits include Notification devices for alarm clock?	Yes	Yes
Text telephones TT or TDD:	Yes	Yes
TVs have closed captioning:	Yes	Yes
Visual emergency warning devices in all accessible rooms:	Yes	Yes
Usability of Standard Guest Rooms		
Standard rooms have a minimum 28" clear opening width:	Yes	Yes
What is clear opening width of the bathroom door?	32"	28"
Is the threshold of the doors less than 1/2" high?	Yes	Yes
Rooms have grab bars on sidewall near toilet and on tub walls:	Yes	Grab bars by Tub Only
Adequate space between beds/furniture for wheelchair or scooter:	Yes	No
Accessible light and temperature controls:	Yes	No

<p align="center">2009 - APHA Philadelphia, PA</p> <p align="center">Hotel Accessibility Review</p> <p align="center">As of: 4/27/2009</p>	<p align="center">Embassy Suites Center City 1776 Benjamin Franklin Pkwy (215) 561-1776</p>	<p align="center">Hampton Inn Convention Center 1301 Race Street (215) 665-9100</p>
Parking/Hotel Entrance		
Accessible overnight parking in garage or adjacent to hotel:	No	No
If valet parking is available, daily rate? If self parking, daily rate?	Valet - \$34	Valet - \$24 Self - \$20
Hotel garage accommodates raised roof accessible vans:	No	Yes
Curb cuts leading from valet parking area to main entrance:	Yes	Yes
Curb cuts at passenger drop off area:	Yes	Yes
Accessible on street parking in front of hotel:	No	1301 Race Street
Total main entrances to the hotel:	1	1
Is the main entrance fully accessible (i.e., No stairs or barriers)?	Yes	Yes
Doors at main entrance open without too much force:	Yes	Yes
Main entrance equipped with power doors:	Yes	Yes
If there is a vestibule, is there adequate space for wheelchair?:	Yes	Yes
Public Areas		
Accessible entrance provides direct access to main lobby & elevators:	Yes	Yes
Registration desk accessible to wheelchair user:	Yes	Yes
Wheelchair accessible pay/public phones in the lobby:	No	Yes
Phones equipped with text telephone TT or TDD:	Portable Phones can be installed	No
Accessible drinking fountain for wheelchair user:	Yes	Yes
If raised or sunken public areas, same services on accessible levels:	Yes	Yes
Number of accessible public restrooms:	Men/1 Women/1 Main Lobby	Men/2 Women/2 Lower Level behind Elevator
Audible and visual fire and emergency alarms:	Yes	Yes
Meeting Rooms		
Doors have at least 32" clear opening:	Yes	Yes
At least 18" clear wall space on pull side of the door, near handle:	Yes	Yes
Door handles 48" high or less and operable with a closed fist:	Yes	Yes
Is portable assistive listening system available, cost for usage?	No	No
Total floors with meeting rooms:	1	1
Meeting rooms or Public Areas that are Not accessible:	None	None
Restaurants		
Number of food outlets/restaurants are on property:	1	1
Food outlets/restaurants accessible to people in wheelchairs:	Yes	Yes
Hotel Amenities		
Recreation areas/exercise facilities on accessible route of travel:	Yes	Yes
Accessible hotel business center:	Yes	Yes
Accessible pool area:	N/A	Yes
Pool equipped with a lift:	N/A	No
Changing rooms on accessible route of travel:	N/A	Yes
Accessible lockers in both men's and women's changing rooms:	N/A	No
Changing rooms have accessible roll-in shower with hand held shower:	N/A	No
There is a folding seat for the roll in showers:	N/A	N/A
Elevators		
Visible and audible door opening/closing and floor indicators:	Yes	Yes
Accessible controls with raised or Braille lettering: at or below 48":	Yes	Yes

<p align="center">2009 - APHA Philadelphia, PA</p> <p align="center">Hotel Accessibility Review</p> <p align="center">As of: 4/27/2009</p>	<p align="center">Embassy Suites Center City 1776 Benjamin Franklin Pkwy (215) 561-1776</p>	<p align="center">Hampton Inn Convention Center 1301 Race Street (215) 665-9100</p>
Accessible Guest Rooms		
Total guest rooms on property:	288	250
Total wheelchair accessible rooms:	16	6
Accessible rooms with roll in showers:	3	2
Adequate space for roll-away beds:	Sofa Bed in all rooms	Yes
Bed options for accessible rooms:	King w/ sofa	King Only
Doors have "Lever" hardware:	Yes	Yes
Accessible rooms have at least 32" clear opening:	Yes	Yes
Door locks & key are easily operable by one hand:	Yes	Yes
Security lock is easily operable and located within 48" of floor:	Yes	Yes
Accessible light and temperature controls:	Yes	Yes
Closet rods are within range of reach:	Yes	No
Drapery controls easily operable:	Yes	Yes
Bathrooms in Wheelchair Accessible Guest Rooms		
Doors at least 32" wide with at least 18" clearance on the pull side:	Yes	Yes
Doors have "Lever" hardware:	Yes	Yes
Threshold of the door is less than 1/2" high:	Yes	Yes
Grab bars behind and on side wall near the toilet:	Yes	Yes
Toilet seat is 17" - 19" high:	Yes	Yes
Built in transfer seat provided at the tub:	No	Yes
Portable tub seat available:	Yes	Yes
Grab bars provided on sidewall of the tub:	Yes	Yes
Sink has 29" clearance below front apron; sink rim No higher than 34":	Yes	Yes
Sink & shower faucets operable with a closed fist:	Yes	Yes
Soap and other dispensers are accessible and usable with one closed fist:	Yes	Yes
Roll in shower with a folding seat:	Yes	Yes
Hand held shower with adjustable height bar:	Yes	Yes
Are shower controls operable with a closed fist?	Yes	Yes
Towels and other amenities are within the accessible range of reach:	Yes	Yes
Guest Rooms For Hearing Impaired		
Number of in-house kits to be installed in guestrooms; cost?:	3/No Cost	2/No Cost
Kits include Notification devices for: door kNocking,	Yes	Yes
Kits include Notification devices for telephone ringing?	Yes	Yes
Kits include Notification devices for alarm clock?	Yes	Yes
Text telephones TT or TDD:	Yes	Yes
TVs have closed captioning:	Yes	Yes
Visual emergency warning devices in all accessible rooms:	Yes	Yes
Usability of Standard Guest Rooms		
Standard rooms have a minimum 28" clear opening width:	Yes	Yes
What is clear opening width of the bathroom door?	27"	38"
Is the threshold of the doors less than 1/2" high?	Yes	Yes
Rooms have grab bars on sidewall near toilet and on tub walls:	No	Yes
Adequate space between beds/furniture for wheelchair or scooter:	Tight Space	Yes
Accessible light and temperature controls:	No	Yes

<p align="center">2009 - APHA Philadelphia, PA</p> <p align="center">Hotel Accessibility Review</p> <p align="center">As of: 4/27/2009</p>	<p align="center">Hilton Garden Inn Phila Center City</p> <p align="center">1100 Arch Street (215) 923-0100</p>	<p align="center">Holiday Inn Express Midtown</p> <p align="center">1305 Walnut Street (215) 735-9300</p>
Parking/Hotel Entrance		
Accessible overnight parking in garage or adjacent to hotel:	Yes	Yes
If valet parking is available, daily rate? If self parking, daily rate?	Self - \$26.25	Self - \$21.00
Hotel garage accommodates raised roof accessible vans:	No	No
Curb cuts leading from valet parking area to main entrance:	No	No
Curb cuts at passenger drop off area:	Yes	No
Accessible on street parking in front of hotel:	No	No
Total main entrances to the hotel:	2	2
Is the main entrance fully accessible (i.e., No stairs or barriers)?	Yes	Yes
Doors at main entrance open without too much force:	Yes	Yes
Main entrance equipped with power doors:	Yes	Yes
If there is a vestibule, there's adequate space for wheelchair:	Yes	Yes
Public Areas		
Accessible entrance provides direct access to main lobby & elevators:	Yes	Yes
Registration desk accessible to wheelchair user:	Yes	No
Wheelchair accessible pay/public phones in the lobby:	Yes	Yes
Phones equipped with text telephone TT or TDD:	Yes	Yes
Accessible drinking fountain for wheelchair user:	Yes	No
If raised or sunken public areas, same services on accessible levels:	N/A	No
Number of accessible public restrooms:	Men/2 Women/2 Lobby and 10th Floor	Men/1 Women/1 1st Floor
Audible and visual fire and emergency alarms:	Yes	Yes
Meeting Rooms		
Doors have at least 32" clear opening:	Yes	Yes
At least 18" clear wall space on pull side of the door, near handle:	Yes	Yes
Door handles 48" high or less and operable with a closed fist:	Yes	Yes
Is portable assistive listening system available, cost for usage?	Yes/No cost	Yes/No cost
Total floors with meeting rooms:	1	2
Meeting rooms or Public Areas that are Not accessible:	None	None
Restaurants		
Number of food outlets/restaurants are on property:	1	Breakfast Bar Only
Food outlets/restaurants accessible to people in wheelchairs:	Yes	Yes
Hotel Amenities		
Recreation areas/exercise facilities on accessible route of travel:	Yes	N/A
Accessible hotel business center:	Yes	N/A
Accessible pool area:	Yes	Yes
Pool equipped with a lift:	No	No
Changing rooms on accessible route of travel:	Yes	N/A
Accessible lockers in both men's and women's changing rooms:	No	N/A
Changing rooms have accessible roll-in shower with hand held shower:	No	N/A
There is a folding seat for the roll in showers:	No	Yes
Elevators		
Visible and audible door opening/closing and floor indicators:	Yes	No
Accessible controls with raised or Braille lettering; at or below 48":	Yes	Yes

<p align="center">2009 - APHA Philadelphia, PA</p> <p align="center">Hotel Accessibility Review</p> <p align="center">As of: 4/27/2009</p>	<p align="center">Hilton Garden Inn Phila Center City</p> <p align="center">1100 Arch Street (215) 923-0100</p>	<p align="center">Holiday Inn Express Midtown</p> <p align="center">1305 Walnut Street (215) 735-9300</p>
Accessible Guest Rooms		
Total guest rooms on property:	279	168
Total wheelchair accessible rooms:	8	8
Accessible rooms with roll in showers:	4	2
Adequate space for roll-away beds:	Yes	Yes
Bed options for accessible rooms:	King and Double	Queen and Double
Doors have "Lever" hardware:	Yes	Yes
Accessible rooms have at least 32" clear opening:	Yes	Yes
Door locks & key are easily operable by one hand:	Yes	Yes
Security lock is easily operable and located within 48" of floor:	Yes	Yes
Accessible light and temperature controls:	Yes	Yes
Closet rods are within range of reach:	Yes	Yes
Drapery controls easily operable:	Yes	Yes
Bathrooms in Wheelchair Accessible Guest Rooms		
Doors at least 32" wide with at least 18" clearance on the pull side:	Yes	Yes
Doors have "Lever" hardware:	Yes	Yes
Threshold of the door is less than 1/2" high:	Yes	Yes
Grab bars behind and on side wall near the toilet:	Yes	Yes
Toilet seat is 17" - 19" high:	Yes	Yes
Built in transfer seat provided at the tub:	No	Yes
Portable tub seat available:	Yes	Yes
Grab bars provided on sidewall of the tub:	Yes	Yes
Sink has 29" clearance below front apron; sink rim No higher than 34":	Yes	Yes
Sink & shower faucets operable with a closed fist:	Yes	Yes
Soap and other dispensers are accessible and usable with one closed fist:	Yes	N/A
Roll in shower with a folding seat:	Roll in without Seat	Yes
Hand held shower with adjustable height bar:	Yes	Yes
Are shower controls operable with a closed fist?	Yes	Yes
Towels and other amenities are within the accessible range of reach:	Yes	Yes
Guest Rooms For Hearing Impaired		
Number of in-house kits to be installed in guestrooms; cost?:	15/No Cost	6/No Cost
Kits include Notification devices for: door kNocking,	Yes	Yes
Kits include Notification devices for telephone ringing?	Yes	Yes
Kits include Notification devices for alarm clock?	Yes	Yes
Text telephones TT or TDD:	Yes	Yes
TVs have closed captioning:	Yes	Yes
Visual emergency warning devices in all accessible rooms:	Yes	Yes
Usability of Standard Guest Rooms		
Standard rooms have a minimum 28" clear opening width:	Yes	Yes
What is clear opening width of the bathroom door?	33"	30"
Is the threshold of the doors less than 1/2" high?	Yes	Yes
Rooms have grab bars on sidewall near toilet and on tub walls:	No	Yes
Adequate space between beds/furniture for wheelchair or scooter:	Yes	No
Accessible light and temperature controls:	Yes	Yes

<p align="center">2009 - APHA Philadelphia, PA</p> <p align="center">Hotel Accessibility Review</p> <p align="center">As of: 3/30/09</p>	<p align="center">Holiday Inn Historic District</p> <p align="center">400 Arch Street (215) 923-8660</p>	<p align="center">Hyatt Regency Penn's Landing</p> <p align="center">201 S. Columbus Blvd. (215) 928-1234</p>
Parking/Hotel Entrance		
Accessible overnight parking in garage or adjacent to hotel:	Yes	Yes
If valet parking is available, daily rate? If self parking, daily rate?	Self - \$22	Valet - \$29 Self - \$21
Hotel garage accommodates raised roof accessible vans:	No	Yes
Curb cuts leading from valet parking area to main entrance:	N/A	Yes
Curb cuts at passenger drop off area:	Yes	Yes
Accessible on street parking in front of hotel:	Metered spots along 4th Street	No
Total main entrances to the hotel:	1	1 outside and 1 in garage
Is the main entrance fully accessible (i.e., No stairs or barriers)?	Yes	Yes
Doors at main entrance open without too much force:	Yes	Yes
Main entrance equipped with power doors:	Yes	Yes
If there is a vestibule, there's adequate space for wheelchair:	N/A	No
Public Areas		
Accessible entrance provides direct access to main lobby & elevators:	Yes	Yes
Registration desk accessible to wheelchair user:	Yes	Yes
Wheelchair accessible pay/public phones in the lobby:	Yes - Lobby	Yes
Phones equipped with text telephone TT or TDD:	Available on Request	Yes
Accessible drinking fountain for wheelchair user:	Yes	No
If raised or sunken public areas, same services on accessible levels:	N/A	No
Number of accessible public restrooms:	Men/1 Women/1 Behind Front Desk	Men/2 Women/2 1st and 2nd Floor
Audible and visual fire and emergency alarms:	Yes	Yes
Meeting Rooms		
Doors have at least 32" clear opening:	Yes	Yes
At least 18" clear wall space on pull side of the door, near handle:	Yes	Yes
Door handles 48" high or less and operable with a closed fist:	Yes	Yes
Is portable assistive listening system available, cost for usage?	No	Yes
Total floors with meeting rooms:	1	2
Meeting rooms or Public Areas that are Not accessible:	None	None
Restaurants		
Number of food outlets/restaurants are on property:	2	2
Food outlets/restaurants accessible to people in wheelchairs:	Yes	Yes
Hotel Amenities		
Recreation areas/exercise facilities on accessible route of travel:	Yes	Yes
Accessible hotel business center:	Yes	Yes
Accessible pool area:	No	Yes
Pool equipped with a lift:	No	Yes
Changing rooms on accessible route of travel:	No	Yes
Accessible lockers in both men's and women's changing rooms:	N/A	Yes
Changing rooms have accessible roll-in shower with hand held shower:	N/A	Yes
There is a folding seat for the roll in showers:	N/A	Yes
Elevators		
Visible and audible door opening/closing and floor indicators:	Yes	Yes
Accessible controls with raised or Braille lettering; at or below 48":	Yes	Yes

2009 - APHA Philadelphia, PA Hotel Accessibility Review As of: 4/27/2009	Holiday Inn Historic District	Hyatt Regency Penn's Landing
	400 Arch Street (215) 923-8660	201 S. Columbus Blvd. (215) 928-1234
Accessible Guest Rooms		
Total guest rooms on property:	364	348
Total wheelchair accessible rooms:	12	13
Accessible rooms with roll in showers:	4	5
Adequate space for roll-away beds:	All ADA rooms connect to rooms with two double beds	Yes
Bed options for accessible rooms:	Queen	All
Doors have "Lever" hardware:	Yes	Yes
Accessible rooms have at least 32" clear opening:	Yes	Yes
Door locks & key are easily operable by one hand:	Yes	Yes
Security lock is easily operable and located within 48" of floor:	Yes	Yes
Accessible light and temperature controls:	Yes	Yes
Closet rods are within range of reach:	Yes	Yes
Drapery controls easily operable:	Yes	Yes
Bathrooms in Wheelchair Accessible Guest Rooms		
Doors at least 32" wide with at least 18" clearance on the pull side:	Yes	Yes
Doors have "Lever" hardware:	Yes	Yes
Threshold of the door is less than 1/2" high:	Yes	Yes
Grab bars behind and on side wall near the toilet:	Yes	Yes
Toilet seat is 17" - 19" high:	Yes	Yes
Built in transfer seat provided at the tub:	No	Yes
Portable tub seat available:	Yes	Yes
Grab bars provided on sidewall of the tub:	Yes	Yes
Sink has 29" clearance below front apron; sink rim No higher than 34":	Yes	Yes
Sink & shower faucets operable with a closed fist:	Yes	Yes
Soap and other dispensers are accessible and usable with one closed fist:	Yes	Yes
Roll in shower with a folding seat:	Yes	Yes
Hand held shower with adjustable height bar:	Yes	Yes
Are shower controls operable with a closed fist?	Yes	Yes
Towels and other amenities are within the accessible range of reach:	Yes	Yes
Guest Rooms For Hearing Impaired		
Number of in-house kits to be installed in guestrooms; cost?:	6/No Cost	4/No Cost
Kits include Notification devices for: door kNocking,	Yes	Yes
Kits include Notification devices for telephone ringing?	Yes	Yes
Kits include Notification devices for alarm clock?	Yes	Yes
Text telephones TT or TDD:	Yes	Yes
TVs have closed captioning:	Yes	Yes
Visual emergency warning devices in all accessible rooms:	Yes	Yes
Usability of Standard Guest Rooms		
Standard rooms have a minimum 28" clear opening width:	Yes	No
What is clear opening width of the bathroom door?	28.5"	36"
Is the threshold of the doors less than 1/2" high?	Yes	Yes
Rooms have grab bars on sidewall near toilet and on tub walls:	Tub Only	No
Adequate space between beds/furniture for wheelchair or scooter:	King Room Only	Yes
Accessible light and temperature controls:	Yes	Yes

<p align="center">2009 - APHA Philadelphia, PA</p> <p align="center">Hotel Accessibility Review</p> <p align="center">As of: 4/27/2009</p>	<p align="center">Philadelphia Downtown Courtyard by Marriott</p> <p align="center">21 North Juniper Street (215) 496-3200</p>	<p align="center">Radisson Plaza- Warwick Hotel</p> <p align="center">1701 Locust Street (215) 735-6000</p>
Parking/Hotel Entrance		
Accessible overnight parking in garage or adjacent to hotel:	Yes	Yes
If valet parking is available, daily rate? If self parking, daily rate?	Valet - \$32	Valet - \$30 Self - \$30
Hotel garage accommodates raised roof accessible vans:	Yes	Yes
Curb cuts leading from valet parking area to main entrance:	Yes	Yes
Curb cuts at passenger drop off area:	Yes	No
Accessible on street parking in front of hotel:	No	No
Total main entrances to the hotel:	2	1
Is the main entrance fully accessible (i.e., No stairs or barriers)?	Yes	Yes
Doors at main entrance open without too much force:	Yes	Yes
Main entrance equipped with power doors:	Yes	Yes
If there is a vestibule, there's adequate space for wheelchair:	Yes	Yes
Public Areas		
Accessible entrance provides direct access to main lobby & elevators:	Yes	Yes
Registration desk accessible to wheelchair user:	Yes	Yes
Wheelchair accessible pay/public phones in the lobby:	Yes/ 1st Floor	Yes
Phones equipped with text telephone TT or TDD:	No	Yes
Accessible drinking fountain for wheelchair user:	Yes	No
If raised or sunken public areas, same services on accessible levels:	Yes	Yes
Number of accessible public restrooms:	Men/4 Women/4 Ground, Mezzanine, and 1st Floor	Men/2 Women/2 Mezzanine
Audible and visual fire and emergency alarms:	Yes	Yes
Meeting Rooms		
Doors have at least 32" clear opening:	Yes	Yes
At least 18" clear wall space on pull side of the door, near handle:	Yes	Yes
Door handles 48" high or less and operable with a closed fist:	Yes	Yes
Is portable assistive listening system available, cost for usage?	No	No
Total floors with meeting rooms:	2	2
Meeting rooms or Public Areas that are Not accessible:	None	None
Restaurants		
Number of food outlets/restaurants are on property:	1	3
Food outlets/restaurants accessible to people in wheelchairs:	Yes	Yes
Hotel Amenities		
Recreation areas/exercise facilities on accessible route of travel:	Yes	Yes
Accessible hotel business center:	Yes	Yes
Accessible pool area:	Yes	No
Pool equipped with a lift:	Yes	No
Changing rooms on accessible route of travel:	Yes	No
Accessible lockers in both men's and women's changing rooms:	Yes	No
Changing rooms have accessible roll-in shower with hand held shower:	Yes	No
There is a folding seat for the roll in showers:	Yes	Yes
Elevators		
Visible and audible door opening/closing and floor indicators:	Yes	Yes
Accessible controls with raised or Braille lettering; at or below 48":	Yes	Yes

<p align="center">2009 - APHA Philadelphia, PA</p> <p align="center">Hotel Accessibility Review</p> <p align="center">As of: 4/27/2009</p>	<p align="center">Philadelphia Downtown Courtyard by Marriott</p> <p align="center">21 North Juniper Street (215) 496-3200</p>	<p align="center">Radisson Plaza- Warwick Hotel</p> <p align="center">1701 Locust Street (215) 735-6000</p>
Accessible Guest Rooms		
Total guest rooms on property:	498	301
Total wheelchair accessible rooms:	21	9
Accessible rooms with roll in showers:	6	3
Adequate space for roll-away beds:	Yes	Yes
Bed options for accessible rooms:	King/Queen/Double	King/Queen/Double
Doors have "Lever" hardware:	Yes	Yes
Accessible rooms have at least 32" clear opening:	Yes	Yes
Door locks & key are easily operable by one hand:	Yes	Yes
Security lock is easily operable and located within 48" of floor:	Yes	Yes
Accessible light and temperature controls:	Yes	Yes
Closet rods are within range of reach:	Yes	Yes
Drapery controls easily operable:	Yes	Yes
Bathrooms in Wheelchair Accessible Guest Rooms		
Doors at least 32" wide with at least 18" clearance on the pull side:	Yes	Yes
Doors have "Lever" hardware:	Yes	Yes
Threshold of the door is less than 1/2" high:	Yes	Yes
Grab bars behind and on side wall near the toilet:	Yes	Yes
Toilet seat is 17" - 19" high:	Yes	No
Built in transfer seat provided at the tub:	Yes	No
Portable tub seat available:	Yes	Yes
Grab bars provided on sidewall of the tub:	Yes	Yes
Sink has 29" clearance below front apron; sink rim No higher than 34":	Yes	Yes
Sink & shower faucets operable with a closed fist:	Yes	Yes
Soap and other dispensers are accessible and usable with one closed fist:	Yes	Yes
Roll in shower with a folding seat:	Yes	Yes
Hand held shower with adjustable height bar:	Yes	Yes
Are shower controls operable with a closed fist?	Yes	Yes
Towels and other amenities are within the accessible range of reach:	Yes	Yes
Guest Rooms For Hearing Impaired		
Number of in-house kits to be installed in guestrooms; cost?:	5/No Cost	2/No Cost
Kits include Notification devices for: door kNocking,	Yes	Yes
Kits include Notification devices for telephone ringing?	Yes	Yes
Kits include Notification devices for alarm clock (pillow bed shaker)?	Yes	Yes
Text telephones TT or TDD:	Yes	Yes
TVs have closed captioning:	Yes	Yes
Visual emergency warning devices in all accessible rooms:	Yes	Yes
Usability of Standard Guest Rooms		
Standard rooms have a minimum 28" clear opening width:	Yes	Yes
What is clear opening width of the bathroom door?	32"	30"
Is the threshold of the doors less than 1/2" high?	Yes	Yes
Rooms have grab bars on sidewall near toilet and on tub walls:	Tub Only	No
Adequate space between beds/furniture for wheelchair or scooter:	Yes	Yes
Accessible light and temperature controls:	Yes	Yes

<p align="center">2009 - APHA Philadelphia, PA</p> <p align="center">Hotel Accessibility Review</p> <p align="center">As of: 4/27/2009</p>	<p align="center">Ritz Carlton Philadelphia</p> <p align="center">Ten Avenue of the Arts (215) 523-8000</p>	<p align="center">Sheraton Center City</p> <p align="center">17th and Race Streets (215) 448-2000</p>
Parking/Hotel Entrance		
Accessible overnight parking in garage or adjacent to hotel:	Yes	Yes
If valet parking is available, daily rate? If self parking, daily rate?	Day Valet - \$27.60 Night Valet - \$45.60	Valet - \$44 Self - \$38
Hotel garage accommodates raised roof accessible vans (8'6"):	Yes	No
Curb cuts leading from valet parking area to main entrance:	Yes	Yes
Curb cuts at passenger drop off area:	Yes	Yes
Accessible on street parking in front of hotel:	No	No
Total main entrances to the hotel:	2	1
Is the main entrance fully accessible (i.e., No stairs or barriers)?	No	Yes
Doors at main entrance open without too much force:	Yes	Yes
Main entrance equipped with power doors:	No	Yes
If there is a vestibule, there's adequate space for wheelchair:	No	No
Public Areas		
Accessible entrance provides direct access to main lobby & elevators:	Yes	Yes
Registration desk accessible to wheelchair user:	Yes	Yes
Wheelchair accessible pay/public phones in the lobby:	Yes - 2nd Floor	Yes
Phones equipped with text telephone TT or TDD:	Yes	No
Accessible drinking fountain for wheelchair user:	Yes	No
If raised or sunken public areas, same services on accessible levels:	Yes	Yes
Number of accessible public restrooms:	Men/5 Women/5 Concourse Level and 3rd Floor	Men/1 Women/1 Lobby
Audible and visual fire and emergency alarms:	Yes	Yes
Meeting Rooms		
Doors have at least 32" clear opening:	Yes	Yes
At least 18" clear wall space on pull side of the door, near handle:	Yes	Yes
Door handles 48" high or less and operable with a closed fist:	Yes	Yes
Is portable assistive listening system available, cost for usage?	No	No
Total floors with meeting rooms:	8	6
Meeting rooms or Public Areas that are Not accessible:	None	None
Restaurants		
Number of food outlets/restaurants are on property:	1	3
Food outlets/restaurants accessible to people in wheelchairs:	Yes	Yes
Hotel Amenities		
Recreation areas/exercise facilities on accessible route of travel:	Yes	Yes
Accessible hotel business center:	Yes	Yes
Accessible pool area:	N/A	Yes
Pool equipped with a lift:	N/A	No
Changing rooms on accessible route of travel:	Yes	Yes
Accessible lockers in both men's and women's changing rooms:	Yes	Yes
Changing rooms have accessible roll-in shower with hand held shower:	Yes	No
There is a folding seat for the roll in showers:	Yes	No
Elevators		
Visible and audible door opening/closing and floor indicators:	Yes	No
Accessible controls with raised or Braille lettering; at or below 48":	Yes	Yes

<p align="center">2009 - APHA Philadelphia, PA</p> <p align="center">Hotel Accessibility Review</p> <p align="center">As of: 4/27/2009</p>	<p align="center">Ritz Carlton Philadelphia</p> <p align="center">Ten Avenue of the Arts (215) 523-8000</p>	<p align="center">Sheraton Center City</p> <p align="center">17th and Race Streets (215) 448-2000</p>
Accessible Guest Rooms		
Total guest rooms on property:	299	759
Total wheelchair accessible rooms:	10	22
Accessible rooms with roll in showers:	2	22
Adequate space for roll-away beds:	Yes	Yes
Bed options for accessible rooms:	King Only	Queen
Doors have "Lever" hardware:	Yes	Yes
Accessible rooms have at least 32" clear opening:	Yes	Yes
Door locks & key are easily operable by one hand:	Yes	Yes
Security lock is easily operable and located within 48" of floor:	Yes	Yes
Accessible light and temperature controls:	Yes	Yes
Closet rods are within range of reach:	No	Yes
Drapery controls easily operable:	Yes	Yes
Bathrooms in Wheelchair Accessible Guest Rooms		
Doors at least 32" wide with at least 18" clearance on the pull side:	Yes	Yes
Doors have "Lever" hardware:	Yes	Yes
Threshold of the door is less than 1/2" high:	Yes	Yes
Grab bars behind and on side wall near the toilet:	Yes	Yes
Toilet seat is 17" - 19" high:	Yes	Yes
Built in transfer seat provided at the tub:	No	Yes
Portable tub seat available:	Yes	No
Grab bars provided on sidewall of the tub:	Yes	Yes
Sink has 29" clearance below front apron; sink rim No higher than 35":	Yes	Yes
Sink & shower faucets operable with a closed fist:	Yes	Yes
Soap and other dispensers are accessible and usable with one closed fist:	N/A	Yes
Roll in shower with a folding seat:	Yes	Yes
Hand held shower with adjustable height bar:	Yes	Yes
Are shower controls operable with a closed fist?	No	Yes
Towels and other amenities are within the accessible range of reach:	Yes	Yes
Guest Rooms For Hearing Impaired		
Number of in-house kits to be installed in guestrooms; cost?:	4/No Cost	6/No Cost
Kits include Notification devices for: door kNocking,	Yes	Yes
Kits include Notification devices for telephone ringing?	Yes	Yes
Kits include Notification devices for alarm clock?	Yes	Yes
Text telephones TT or TDD:	Yes	Yes
TVs have closed captioning:	Yes	Yes
Visual emergency warning devices in all accessible rooms: bed shaking device	Yes	Yes
Usability of Standard Guest Rooms		
Standard rooms have a minimum 28" clear opening width:	Yes	Yes
What is clear opening width of the bathroom door?	29"	30"
Is the threshold of the doors less than 1/2" high?	Yes - 3/8"	Yes
Rooms have grab bars on sidewall near toilet and on tub walls:	No	Tub Only
Adequate space between beds/furniture for wheelchair or scooter:	Yes	Yes
Accessible light and temperature controls:	Light switch only	Yes

2009 - APHA Philadelphia, PA Hotel Accessibility Review As of: 4/27/2009	Sheraton Society Hill One Dock Street (215) 238-6000
Parking/Hotel Entrance	
Accessible overnight parking in garage or adjacent to hotel:	No
If valet parking is available, daily rate? If self parking, daily rate?	Valet - \$34.50
Hotel garage accommodates raised roof accessible vans:	No
Curb cuts leading from valet parking area to main entrance:	Yes
Curb cuts at passenger drop off area:	Yes
Accessible on street parking in front of hotel:	No
Total main entrances to the hotel:	4
Is the main entrance fully accessible (i.e., No stairs or barriers)?	Yes
Doors at main entrance open without too much force:	Yes
Main entrance equipped with power doors:	No
If there is a vestibule, there's adequate space for wheelchair:	Yes
Public Areas	
Accessible entrance provides direct access to main lobby & elevators:	Yes
Registration desk accessible to wheelchair user:	No
Wheelchair accessible pay/public phones in the lobby:	No
Phones equipped with text telephone TT or TDD:	No
Accessible drinking fountain for wheelchair user:	Yes
If raised or sunken public areas, same services on accessible levels:	N/A
Number of accessible public restrooms:	Men/2 Women/2 Lobby
Audible and visual fire and emergency alarms:	Yes
Meeting Rooms	
Doors have at least 32" clear opening:	Yes
At least 18" clear wall space on pull side of the door, near handle:	Yes
Door handles 48" high or less and operable with a closed fist:	Yes
Is portable assistive listening system available, cost for usage?	No
Total floors with meeting rooms:	1
Meeting rooms or Public Areas that are Not accessible:	None
Restaurants	
Number of food outlets/restaurants are on property:	2
Food outlets/restaurants accessible to people in wheelchairs:	No
Hotel Amenities	
Recreation areas/exercise facilities on accessible route of travel:	Yes
Accessible hotel business center:	Yes
Accessible pool area:	No
Pool equipped with a lift:	No
Changing rooms on accessible route of travel:	Yes
Accessible lockers in both men's and women's changing rooms:	No
Changing rooms have accessible roll-in shower with hand held shower:	No
There is a folding seat for the roll in showers:	No
Elevators	
Visible and audible door opening/closing and floor indicators:	No
Accessible controls with raised or Braille lettering; at or below 48":	Yes

2009 - APHA Philadelphia, PA Hotel Accessibility Review As of: 4/27/2009	Sheraton Society Hill One Dock Street (215) 238-6000
Accessible Guest Rooms	
Total guest rooms on property:	350
Total wheelchair accessible rooms:	12
Accessible rooms with roll in showers:	4
Adequate space for roll-away beds:	Yes
Bed options for accessible rooms:	All
Doors have "Lever" hardware:	Yes
Accessible rooms have at least 32" clear opening:	Yes
Door locks & key are easily operable by one hand:	Yes
Security lock is easily operable and located within 48" of floor:	Yes
Accessible light and temperature controls:	Yes
Closet rods are within range of reach:	Yes
Drapery controls easily operable:	No
Bathrooms in Wheelchair Accessible Guest Rooms	
Doors at least 32" wide with at least 18" clearance on the pull side:	Yes
Doors have "Lever" hardware:	Yes
Threshold of the door is less than 1/2" high:	Yes
Grab bars behind and on side wall near the toilet:	Yes
Toilet seat is 17" - 19" high:	Yes
Built in transfer seat provided at the tub:	No
Portable tub seat available:	No
Grab bars provided on sidewall of the tub:	Yes
Sink has 29" clearance below front apron; sink rim No higher than 34":	Yes
Sink & shower faucets operable with a closed fist:	Yes
Soap and other dispensers are accessible and usable with one closed fist:	Yes
Roll in shower with a folding seat:	Yes
Hand held shower with adjustable height bar:	Yes
Are shower controls operable with a closed fist?	No
Towels and other amenities are within the accessible range of reach:	Yes
Guest Rooms For Hearing Impaired	
Number of in-house kits to be installed in guestrooms; cost?:	2/No Cost
Kits include Notification devices for: door kNocking,	Yes
Kits include Notification devices for telephone ringing?	Yes
Kits include Notification devices for alarm clock?	Yes
Text telephones TT or TDD:	Yes
TVs have closed captioning:	Yes
Visual emergency warning devices in all accessible rooms:	Yes
Usability of Standard Guest Rooms	
Standard rooms have a minimum 28" clear opening width:	Yes
What is clear opening width of the bathroom door?	32"
Is the threshold of the doors less than 1/2" high?	Yes
Rooms have grab bars on sidewall near toilet and on tub walls:	No
Adequate space between beds/furniture for wheelchair or scooter:	Yes
Accessible light and temperature controls:	Yes